

SAMPLE IDENTIFICATION

Peptide: GLOW Blend	Date Requested: N/A
Client: SYNVIA PEPTIDES	Date Received: May 1, 2026
Vendor: SYNVIA PEPTIDES	Date Tested: May 5, 2026
Lot Number: SPGLW701	Date Reported: May 5, 2026

HPLC-UV PURITY & CONTENT ANALYSIS

Expected Content 70.00 mg	Mass 87.28 mg	Purity 99.44%	Fill Accuracy 124.7%
-------------------------------------	-------------------------	-------------------------	--------------------------------




Fig. 1 - HPLC-UV Chromatogram at 214nm

Component Breakdown	
Component	Mass (mg)
GHK-Cu	62.27
BPC-157	11.98
TB-500	13.03

Appearance	
Appearance:	Blue Powder
Cap Color:	Green

BACTERIAL ENDOTOXIN TEST (USP <85>)

Method	Result	Specification	Verdict
Kinetic LAL (USP <85>)	< 0.125 EU/mL	<= 0.125 EU/mL	PASS

Interpretation: Endotoxin not detected (0.125 EU/mL) at validated 1:16 dilution (3.0 mL reconstituted vial).

This Certificate of Analysis is provided for informational and research purposes only.



Digital Verification